Test Report

Applicant: Cixi Linhao Metal Product Co., Ltd

Address: No. 12 Lane Rending Road, Gaoqiao Village, Cixi City, Ningbo City, Zhejiang Province

The following sample(s) and information were submitted and identified by the applicant

Sample Name:	Glitter Squishy
Model No.:	JY-201
Labeled Age Grading:	3 years old+
Age Group Assessed As per Age Guideline:	3 years old+
Tested Age Grading:	3 years old+
Manufacturer:	Cixi Linhao Metal Product Co., Ltd
Manufacturer Address:	No. 12 Lane Rending Road, Gaoqiao Village, Cixi City, Ningbo City, Zhejiang Province
Date Of Manufacturing:	01/07/2026
Origin of the Product(s):	China
Sample Receipt Date:	02-Jul-2026
Sample Tested Date:	02-Jul-2026 to 08-Jul-2026
Test Requested:	Test as requested by client
Test Method:	Please refer to next page(s)
Test Results:	Please refer to next page(s)

Authorized signature

Fox Rong

Technical supervisor

Approved Signatory

Guangzhou Supreme Technology & Testing Service Co., Ltd.

Test Report

Result summary:

Test(s) conducted		Conclusion
	As specified in title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	--
A	1. 16 CFR 1500.48 Sharp Point	PASS
	2. 16 CFR 1500.49 Sharp Edge	N/A
	3. 16 CFR 1500.50.51.52.53 Simulating Use and Abuse of Toys	PASS
	4. 16 CFR 1501 Small Parts	N/A
	5. The flammability requirements of 16 CFR 1500.3(c)(6)(vi), "Flammable solid" (FHSA regulations).	PASS
	6. 16 CFR 1303, Total Lead in Paints and Surface Coatings	PASS
	7. 16 CFR 1307 Determination of Phthalates	PASS
B	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	--
	1. Physical & Mechanical Tests	PASS
	2. Flammability Section 4.2	PASS
	3. Total Lead in Substrate Materials Section 4.3.5.2(2)(a)	PASS
	4. Total Lead in Paints and Surface Coatings Section 4.3.5.1(1)	PASS
	5. Migration of certain elements in Paints and Surface Coatings Section 4.3.5.1(2)	N/A
	6. Migration of certain elements in Substrate Materials Section 4.3.5.2(2)(b)	PASS
	7. Phthalates Content Section 4.3.8	PASS
C	Consumer Product Safety Improvement Act of 2008 (CPSIA)	--
	1. CPSIA Sec.101.(a) Total Lead in Substrate Materials	PASS
	2. CPSIA Sec.101.(f) Total Lead in Paints and Surface Coatings	PASS
	3. CPSIA Sec.108 Determination of Phthalates	PASS
	4. CPSIA Sec.103Tracking Labels for Children's Products/15 U.S. Code § 2063(a)(5)	PASS

Test Result(s):

A. As specified in title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A

Clause		Description	Result
1	16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	PASS
2	16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	N/A
3	16 CFR 1500.50.51.52.53	Normal use testing	PASS
		Abuse testing	
		Impact Test(53b)	PASS
		Bite Test	N/A
		Flexure Test	N/A
		Torque Test(53e)	PASS
		Tension Test(53f)	PASS
		Compression Test	N/A
4	16 CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking aspiration, or ingestion hazards because of small parts.	N/A

A.5 The flammability requirements of 16 CFR 1500.3(c)(6)(vi), "Flammable solid"(FHSA regulations).

Test Method: 16 CFR 1500.44

Test Item(s)	Observation	Requirement	Conclusion
Flammability of Solids	The burn rate is less than 0.1 in/sec.	Burn rate should not be greater than 0.1 in/sec.	PASS

Note: 1.DNI = Did not ignite.

2.IBE = Ignited but self-extinguished before burn-rate could be determined.

3.In accordance with the FHSA 16 CFR 1500.3 (C) (6) (vi), the burning rate should not be greater than 0.1 in/sec.

4.The burn rate of all samples is greater than 0.1 in. /s (2.5 mm/s) but less than 0.15 in. /s (3.75 mm/s), accept and consider further investigation for action to improve performance.

5.All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

A.6 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1, analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Test Item(s)	Limit	Unit	MDL	Result
				5+6+7
Total Lead (Pb)	90	mg/kg	10	ND
Conclusion	/	/	/	PASS

Note: ND= Not Detected(<MDL)
N/A = Not Applicable
mg/kg = milligram per kilogram = ppm = part per million
Results shown are of the total weight of mixed samples.

A.7 16 CFR 1307 Determination of Phthalates

Test Method: CPSC-CH-C1001-09.4, analyzed by Gas Chromatography with Mass Spectrometry(GC-MS).

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					2	3	4
Dibutyl phthalate (DBP)	84-74-2	1000	mg/kg	50	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	1000	mg/kg	50	ND	ND	ND
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	1000	mg/kg	100	ND	ND	ND
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	1000	mg/kg	50	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	1000	mg/kg	50	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	1000	mg/kg	50	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	1000	mg/kg	50	ND	ND	ND
Conclusion	/	/	/	/	PASS	PASS	PASS

Test Report

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					5+6+7	8	9
Dibutyl phthalate (DBP)	84-74-2	1000	mg/kg	50	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	1000	mg/kg	50	ND	ND	ND
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	1000	mg/kg	100	ND	ND	ND
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	1000	mg/kg	50	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	1000	mg/kg	50	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	1000	mg/kg	50	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	1000	mg/kg	50	ND	ND	ND
Conclusion	/	/	/	/	PASS	PASS	PASS

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, 102 NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

B.1 ASTM F963-23 Standard Consumer Safety Specification for Toy Safety: Physical & Mechanical Tests

Section	Description	Result
4	Safety requirements	PASS
4.1	Material Quality	PASS
4.2	Flammability Test	PASS (See Result Page)
4.3	Toxicology	PASS (See Result Page)
4.3.1	Hazardous Substances	N/A
4.3.2	Manufacturing and Packaging of Food	N/A
4.3.3	Indirect Food Additives	N/A
4.3.4	Cosmetics	N/A
4.3.5	Heavy Elements	PASS
4.3.5.1	Paint and Similar Surface-Coating Materials	PASS
4.3.5.2	Toy Substrate Materials	PASS
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	N/A
4.3.7	Stuffing Materials	PASS
4.3.8	Phthalates	PASS
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-producing Toys	N/A
4.6	Small Objects	N/A
4.6.1	Toys that are intended for children under 36 months of age	N/A
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Labeling Requirements	N/A
4.7	Accessible Edges	PASS
4.8	Projections	N/A

Section	Description	Result
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys (<18 months.)	N/A
4.25	Battery-operated Toys	N/A
4.26	Toys intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A

Section	Description	Result
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	Safety Labeling Requirements	PASS
5.1	Federal Labeling	PASS
5.2	Age Grade Labeling	PASS
5.4&5.3	Aquatic Toys	N/A
5.5&5.3	Crib and Playpen Toys	N/A
5.6&5.3	Mobiles	N/A
5.7&5.3	Stroller and Carriage Toys	N/A
5.8&5.3	Toys Intended to be Assembled By an Adult	N/A
5.9&5.3	Simulated Protective Devices	N/A
5.10&5.3	Toys with Functional Sharp Edges or Points	N/A
5.11&5.3	Small Objects, Small Balls, Marbles and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toy	N/A
5.14&5.3	Battery-Operated Toys	N/A
5.15	Promotional Materials	PASS

Section	Description	Result
5.16&5.3	Magnets	N/A
6	Instructional Literature	PASS
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4&5.3	Toys Intended to be Assembled By an Adult	N/A
6.5	Battery Operated Toys	N/A
6.6	Battery powered Ride-on toys	N/A
6.7	Toy in contact with food	N/A
6.8	Toy Chests	N/A
6.9	Instructions for Custom Tool to Access Battery	N/A
7	Producer's Markings	PASS
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-On Toys	N/A
7.3	Toy Chests	N/A

B.2 ASTM F963-23 Section 4.2, Flammability

Test Method: U.S. ASTM F963-23 Section 4.2 and Annex A5.

Test Item(s)	Burn Rate(inch/sec)	Requirement	Result
Flammability of Solids	The burn rate is less than 0.1 in/sec.	Burn rate should not be greater than 0.1 in/sec.	PASS

Note:
1. DNI = Did not ignite.
2. IBE = Ignited but self-extinguished before burn-rate could be determined.
3. In accordance with the FHSA 16 CFR 1500.3 (C) (6) (vi), the burning rate should not be greater than 0.1 in/sec.
4. The burn rate of all samples is greater than 0.1 in. /s (2.5 mm/s) but less than 0.15 in. /s (3.75 mm/s), accept and consider further investigation for action to improve performance.
5. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

B.3 ASTM F963-23 Section 4.3.5.2(2)(a) Total Lead in Substrate Materials

Test Method: CPSC-CH-E1002-08.3, analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Test Item(s)	Limit	Unit	MDL	Result				
				2	3	4	8	9
Total Lead (Pb)	100	mg/kg	10	ND	ND	ND	ND	ND
Conclusion	/	/	/	PASS	PASS	PASS	PASS	PASS

B.4 ASTM F963-23 Section 4.3.5.1(1) Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1, analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Test Item(s)	Limit	Unit	MDL	Result
				5+6+7
Total Lead (Pb)	90	mg/kg	10	ND
Conclusion	/	/	/	PASS

ASTM F963-23: Toxicology - Migration of Certain Elements in Substrate Materials

Test Item(s)	Lead Pb(M)	Cadmium Cd(M)	Antimony Sb(M)	Barium Ba(M)	Arsenic As(M)	Chromium Cr(M)	Mercury Hg(M)	Selenium Se(M)
Maximum Limit (mg/kg)	Non-Modeling clay materials							
	90	75	60	1000	25	60	60	500
	Modeling clay							
	90	50	60	250	25	25	25	500
MDL(mg/kg)	5	5	5	5	5	5	5	5
Test Method/Instrument	ASTM F963-23/ICP-OES							

B.5 ASTM F963-23 Section 4.3.5.1(2) Migration of certain elements in Paints and Surface Coatings

Test Item(s)	Unit	Result
		/
Lead Pb(M)	mg/kg	N/A
Cadmium Cd(M)	mg/kg	N/A
Antimony Sb(M)	mg/kg	N/A
Barium Ba(M)	mg/kg	N/A
Arsenic As(M)	mg/kg	N/A
Chromium Cr(M)	mg/kg	N/A
Mercury Hg(M)	mg/kg	N/A
Selenium Se(M)	mg/kg	N/A
Conclusion	/	N/A

B.6 ASTM F963-23 Section 4.3.5.2(2)(b) Migration of certain elements in Substrate Materials

Test Item(s)	Unit	Result				
		2	3	4	8	9
Lead Pb(M)	mg/kg	ND	ND	ND	ND	ND
Cadmium Cd(M)	mg/kg	ND	ND	ND	ND	ND
Antimony Sb(M)	mg/kg	ND	ND	ND	ND	ND
Barium Ba(M)	mg/kg	ND	ND	ND	ND	ND
Arsenic As(M)	mg/kg	ND	ND	ND	ND	ND
Chromium Cr(M)	mg/kg	ND	ND	ND	ND	ND
Mercury Hg(M)	mg/kg	ND	ND	ND	ND	ND
Selenium Se(M)	mg/kg	ND	ND	ND	ND	ND
Conclusion	/	PASS	PASS	PASS	PASS	PASS

B.7 ASTM F963-23 Section 4.3.8 Phthalates Content

Test Method: CPSC-CH-C1001-09.4, analyzed by Gas Chromatography with Mass Spectrometry(GC-MS).

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					2	3	4
Dibutyl phthalate (DBP)	84-74-2	1000	mg/kg	50	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	1000	mg/kg	50	ND	ND	ND
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	1000	mg/kg	100	ND	ND	ND
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	1000	mg/kg	50	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	1000	mg/kg	50	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	1000	mg/kg	50	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	1000	mg/kg	50	ND	ND	ND
Conclusion	/	/	/	/	PASS	PASS	PASS

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					5+6+7	8	9
Dibutyl phthalate (DBP)	84-74-2	1000	mg/kg	50	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	1000	mg/kg	50	ND	ND	ND
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	1000	mg/kg	100	ND	ND	ND
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	1000	mg/kg	50	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	1000	mg/kg	50	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	1000	mg/kg	50	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	1000	mg/kg	50	ND	ND	ND
Conclusion	/	/	/	/	PASS	PASS	PASS

C.1 CPSIA Section 101.(a), tal Lead in Substrate Materials

Test Method: CPSC-CH-E1002-08.3, analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Test Item(s)	Limit	Unit	MDL	Result				
				2	3	4	8	9
Total Lead (Pb)	100	mg/kg	10	ND	ND	ND	ND	ND
Conclusion	/	/	/	PASS	PASS	PASS	PASS	PASS

C.2 CPSIA Section 101.(f), Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1, analyzed by Inductively Coupled Plasma-Optical Emission Spectrometry(ICP-OES).

Test Item(s)	Limit	Unit	MDL	Result
				5+6+7
Total Lead (Pb)	90	mg/kg	10	ND
Conclusion	/	/	/	PASS

C.3 CPSIA Section 108, Determination of Phthalates

Test Method: CPSC-CH-C1001-09.4, analyzed by Gas Chromatography with Mass Spectrometry(GC-MS).

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					2	3	4
Dibutyl phthalate (DBP)	84-74-2	1000	mg/kg	50	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	1000	mg/kg	50	ND	ND	ND
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	1000	mg/kg	100	ND	ND	ND
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	1000	mg/kg	50	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	1000	mg/kg	50	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	1000	mg/kg	50	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	1000	mg/kg	50	ND	ND	ND
Conclusion	/	/	/	/	PASS	PASS	PASS

Test Report

Test Item(s)	CAS No.	Limit	Unit	MDL	Result		
					5+6+7	8	9
Dibutyl phthalate (DBP)	84-74-2	1000	mg/kg	50	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	1000	mg/kg	50	ND	ND	ND
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	1000	mg/kg	100	ND	ND	ND
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	1000	mg/kg	50	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	1000	mg/kg	50	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	1000	mg/kg	50	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	1000	mg/kg	50	ND	ND	ND
Conclusion	/	/	/	/	PASS	PASS	PASS

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, 102 NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

C.4 CPSIA Sec.103 Tracking Labels for Children's Products/15 U.S. Code § 2063(a)(5)

Description	Result
a) The product intended for children under 12 years or not, If not, the section is not applicable.	YES
b) The product under the exemption of marking on Children's Product or not	N/A
1.Product is too small to be marked.	N/A
2.Products stay with or be contained in their original packaging.	N/A
3.Product is sold through a bulk vending machine.	N/A
4.Physical mark would weaken or damage the product or impair its utility.	N/A
5.Product surface would be impossible to mark permanently.	N/A
6.Aesthetics of the product would be ruined by a mark.	N/A
c) The product and packaging or only packaging (for product exempted from the marking) marked below information:	PASS
1. Name of the manufacturer or the name of the private labeler.	PASS
2. Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	PASS
3. Date of production of the product, in a form of MM/YY or any other coding system.	PASS
4. Cohort information (including the batch, run number, or another identifying characteristic).	PASS
d) The label is permanent after below permanency testing.	PASS

Remark: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, PASS or FAIL verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as PASS nor as FAIL.

Note: As specified by applicant, to test content in the materials of the submitted samples. The test results are only responsible for the submitted sample. The test report is only for customer research, teaching, internal quality control, product development and other purposes, for reference only.

Test Report

Test Part Description:

Specimen No.	Description (location)	Remark
A1	Squishy toy	/
1	Whole (A1)	/
2	Tan-colored plastic (A1 steamer)	/
3	Transparent plastic with black print (A1 label)	/
4	Transparent artificial material (A1 steamed bun)	/
5	Black coating (A1 eyes)	<10mg
6	White coating (A1 eyes)	<10mg
7	Red coating (A1 blush)	<10mg
8	Transparent laminated film (A1 packaging paper)	/
9	White paper strip with color print (A1 packaging paper)	/

Note: The received sample(s) contained material(s) of less than 10 milligrams by weight on one single sample, therefore such material(s) was not subject to the soluble heavy metals analysis of ASTM F963-23, “Standard consumer safety specification on toy safety”, Section 4.3.5.

Sample Photo:

A1

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, 102 NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com





Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, 102 NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com







XNO authenticate the photograph on original report only

*** End of Report ***

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, 102 NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com